DRAES, CONTROL UTGOING LTR NO. DE ORDER : 4700-/ 4/R F Q SO 2/

DIST. IARAL, M.E AMAN, H.S ANCH, D.B. PNIVAL G.J.)PP, R.D. VIS. J.G. ARERA, D.W. NNI, B.J. DAHL, T iG. J.G TCHINGS, N.M 15Y. W.A ESTER. A.W HAFFEY, J.W. NN, H.P AX. G.E ONALD, M.M. KENNA, F.G. NTROSE, J.K GAN, R.V. A. G.L JTO, V.M. IN. N.B. CK, G.H A S.G. JVAN, M.T ISON, E.A VSON, R.E J. M. ANT AD KINS <u> II</u> VL PRES CONTROL

LASSIFICATION:

\TS/T130G

MN RECORD/080

CNI	T	Π
NO ASSISISED		T
ONFIDENTIAL		T
=-2=7		Π

THORIZED CLASSIFIER JINGGHARLINGSTRICATION <u>EVI VIANZER OER</u>

ISIFICATION OFFICE

ATE

TERY TO PAP CC NO:

TON ITEM STATUS

PARTIAL/OPEN

CLOSED

RAPPROVALS

46469 Rev. 01/94)

EG&G ROCKY FLATS



000027990

EG&G ROCKY FLATS, INC.
ROCKY FLATS PLANT, P.O. BOX 464, GOLDEN, COLORADO 80402-0464 • (303) 966-7000

May 3, 1994

94-RF-05091

46103

Jessie M. Roberson Acting Assistant Manager for Environmental Restoration DOF/REFO

Attn: N. Castaneda

DISTRIBUTION OF REVISION 0 OF THE "WORK PLAN FOR CHEMICALLY ENHANCED STEAM STRIPPING OF RADIONUCLIDES IN RFP SOILS" - NMH-064-94

EG&G Rocky Flats, Inc. is transmitting to the Department of Energy/Rocky Flats Field Office (DOE/RFFO) Revision 0 of the "Work Plan for Chemically Enhanced Steam Stripping of Radionuclides in RFP Soils." These documents incorporate the comments received from DOE/RFFO.

Please transmit Revision 0 of the "Work Plan for Chemically Enhanced Steam Stripping of Radionuclides in RFP Soils" to the Environmental Protection Agency and the Colorado Department of Health for their review and comment. We request that all of their comments be returned to us by May 25, 1994.

Any questions or comments should be directed to Virginia L. Ferguson of Environmental Engineering & Technology at extension 8752 or digital page 7613.

Mattetur

N. M. Hutchins
Director
Environmental Science & Engineering

VLF:cet

Orig. and 1 cc - J. M. Roberson

Enclosure: As Stated

cc:

M. H. McBride - DOE/RFFO w/o Enc.
M. N. Silverman - DOE/RFFO w/o Enc.
L. W. Smith - DOE/RFFO w/o Enc.



ADMIN RECCRD SW-A-003747

447